


# Originals

Unlimited possibilities in metallised solutions



## Originals unlimited versatility

- Transparencies from transparent to black-out
- Wide colour range
- Combine transparencies in twin-pleated or twin-roller blind to achieve ultimate solar control at every moment of the day and night
- Flame retardant
- Heat and glare control

Verosol

# Transparencies



816 




812 




849 



878 



890  \*Only available in white



982 

## Specifications Originals

	816	812	849	878	890	982
<b>Thickness mm</b>	0.23	0.20	0.26	0.23	0.33	0.34
<b>Weight g/m<sup>2</sup></b>	74	95	132	142	325	270
<b>Width (+/- 5 cm)</b>	220	220	240	220	220	220
<b>Flame retardant standards</b>	DIN 4102 B1					
<b>Environmental standards</b>	Ökotex Standard 100, ISO 14001 and ISO 9001, Greenguard Gold, Ecospecifier Health & Care, Anti-microbial properties according to ASTM-E2149-01					
<b>Solar reflection outside</b>	44%	62%	67%	68%	70%	65%
<b>Light transmission</b>	29%	9%	5%	3%	0%	0%
<b>Openness factor</b>	23%	5%	1%	0%	0%	0%
<b>UV transmission</b>	27%	7%	3%	1%	0%	0%

Optical properties are measured according to EN 14500, ISO 9050 & EN 410. Calculation fenestration in combination with High Performance Glazing (reference Glazing D EN 14501). Glass values: LT value 60%, g-value 32%, U-value 1.1 W/m<sup>2</sup>K. For more information about technical data, energy savings and worldwide distribution, refer to [www.verosol.nl](http://www.verosol.nl), [www.verosol.com](http://www.verosol.com) or [www.verosol.com.au](http://www.verosol.com.au)  
 Disclaimer: The technical data are based on average data and are subject to production tolerances.



## 18 Colours


The colours shown may vary from the real colours due to the printing process.




790



778




765



711



162



137



661



441



000



823



386




552



829



998



936









346



367



738



### Applications for Originals:




Pleated Blinds



Roller Blind



Panel Tracks



Verticals



*Inventors of the perfect shade*

**Verosol**